



UNITED STATEDEPARTMENT OF COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENT	OR	A	TTORNEY DOCKET NO.
09/144,607	08/31/98	CHESTER		Α	10061-1
-			\neg	EXAMINER	
		IM52/1106	•		
RONALD A BLI	EEKER		,	PRF I SCH	<u>. N</u>
		ES CORPORATION		ART UNIT	PAPER NUMBER
3225 GALLOW FAIRFAX VA	S ROAD		·	1764 DATE MAILED:	23
				J	11/06/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

		A	
	Application No.	Applicant(s)	
,	09/144,607	CHESTER ET AL.	
Office Action Summary	Examiner	Art Unit	
	Nadine Preisch	1764	
The MAILING DATE of this communication app Period for Reply	ears on the cover she	et with the correspondenc add	dress
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, - Any reply received by the Office later than three months after the mailing	6(a). In no event, however, m within the statutory minimum ill apply and will expire SIX (6) cause the application to beco	ay a reply be timely filed of thirty (30) days will be considered timely MONTHS from the mailing date of this co ne ABANDONED (35 U.S.C. § 133).	r. mmunication.
earned patent term adjustment. See 37 CFR 1.704(b). Status			
1) Responsive to communication(s) filed on 23 A	uaust 2001 .		
, <u> </u>	s action is non-final.		
3) Since this application is in condition for allowa closed in accordance with the practice under <i>B</i>	nce except for formal		e merits is
Disposition of Claims			
4)⊠ Claim(s) <u>1-3, 5-12, 14-19 and 28-31</u> is/are pen	ding in the applicatio	n.	
4a) Of the above claim(s) is/are withdraw	n from consideration		
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-3, 5-12, 14-19 and 28-31</u> is/are reject	cted.		
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and/or	election requirement		
Application Papers			-
9)☐ The specification is objected to by the Examiner			
10) ☐ The drawing(s) filed on is/are: a) ☐ accep	ted or b)□ objected to	by the Examiner.	
Applicant may not request that any objection to the			
11) The proposed drawing correction filed on	is: a) ☐ approved b)	disapproved by the Examine	er.
If approved, corrected drawings are required in rep	•		
12) The oath or declaration is objected to by the Exa	aminer.		
Priority under 35 U.S.C. §§ 119 and 120			
13) Acknowledgment is made of a claim for foreign	priority under 35 U.S	s.C. § 119(a)-(d) or (f).	
a) ☐ All b) ☐ Some * c) ☐ None of:			
 Certified copies of the priority documents 	have been received		
Certified copies of the priority documents			
 3. Copies of the certified copies of the prior application from the International Bur * See the attached detailed Office action for a list of the prior 	eau (PCT Rule 17.2(a)).	Stage
14)☐ Acknowledgment is made of a claim for domestic	priority under 35 U.S	S.C. § 119(e) (to a provisional	application).
a) ☐ The translation of the foreign language pro- 15)☐ Acknowledgment is made of a claim for domestic	visional application h	as been received.	
Attachment(s)			
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 21	5) 🔲 Notic	view Summary (PTO-413) Paper No(se of Informal Patent Application (PTC r:	

Art Unit: 1764

DETAILED ACTION

Removal of Claim Rejections Under- 35 USC § 112

Applicants' amendment filed 8-23-01 in paper no.22 is sufficient to overcome the previous rejection of claims under 112 first paragraph.

Removal of Claim Rejections Under 35 U.S.C. § 103

Applicants' arguments/amendments are sufficient to withdraw the rejections over Collins et al.(5,482,617) and Blanton, Jr. et al.(4,115,249).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-3, 5, 7, 8, 10 and 28-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beck et al. (4,588,702) in view of Kugler (4,944,864).



Art Unit: 1764

The reference of Beck et al.(4,588,702) discloses a process of cracking a hydrocarbon feed containing a sulfur containing compound in the presence of a catalyst. See column 14, lines 13-14 and column 9, lines 29-31. Suitable feedstocks include vacuum gas oils. See column 13, lines 25-30. The process is suitable for the production of a high gasoline cut. See column 11, line 1. The catalyst includes a USY component and a ZSM-5 component. See column 15, line 61 and column 18, lines 41-42 and column 35, line 50. The zeolite component may optionally be combined with a matrix material such as alumina. See column 19, lines 64-66. An acceptable unit cell size ranges from 23.3-24.7 angstroms. See column 16, lines 46-49. The reference further teaches that the catalyst is separated, stripped, regenerated in the presence of oxygen and recycled back to the reaction zone. See column 27, line 51, column 28, line 23, column 29, lines 63-64 and column 30, lines 23-30.

The reference of Beck et al.(4,588,702) succeeds at disclosing a cracking process for the formation of a gasoline product with steps and catalyst components corresponding to those claimed by applicants.

Several differences are noted between the reference of Beck et al. (4,588,702) and applicants' claimed invention. The reference does not disclose the presence of vanadium in an oxidation state greater than 0, a reduction in the sulfur content or the use of a vanadium containing catalyst.

The reference of Kugler (4,944,864) is cited to show that it is known in the art that vanadium contaminants in a hydrocarbon feed which remain on a catalyst during regeneration are oxidized and that the oxidized vanadium compounds become mobile and react with the

Art Unit: 1764

zeolite components of the catalyst. As a result, the regenerated catalyst contains vanadium. See column 4, lines 13-27.

The reference of Kugler succeeds in disclosing the concept that regenerated catalysts which are recycled in processes involving the treatment of vanadium containing feeds contain a vanadium component resulting from contamination during the regeneration process. The vanadium component meets applicants' non-lanthanide transition metal limitation.

Since the reference of Beck et al.(4,588,702) discloses a vanadium containing feed and a catalyst regeneration, it would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize a vanadium containing catalyst because the reference of Kugler teaches that it is known in the art that regenerated catalysts recycled for further cracking contain vanadium components. The regenerated catalyst containing vanadium is considered to meet applicants' non-lanthanide component limitation. Applicants have not shown anything unexpected with respect to the use of a catalyst containing a vanadium component.

It is noted that the reference does not refer to a reduction in the sulfur concentration of the feed. However, the reduction sulfur in the feed would naturally result from the use of a catalyst produced by the modified teachings of Beck et al.(4,588,702) because the modified teachings encompass a catalyst corresponding to that claimed by applicants which would display the same sulfur reductive properties.

Art Unit: 1764

Claim Rejections - 35 U.S.C. § 103

Claims 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Beck et al.(4,588,702) in view Kugler (4,944,864) as applied to claims 1-3, 5, 7, 8, 10 and 28-31 above in further view of Cooper et al.(5,601,798).

-See teachings of Beck et al.(4,588,702) and Kugler (4,944,864) above.

Several differences are noted between the modified teachings of Beck et al.(4,588,702) and applicants' claimed invention. The reference does not disclose the specific unit cell size or SiO₂/Al₂O₃ ratio of the USY composition.

The reference of Cooper et al.(5,601,798) is cited to illustrate that USY typically has a unit cell ranging from 24.5 angstroms (2.45 nm) to 24.6 angstroms (2.46 nm) and a silica/alumina ratio ranging from 5-12. See column 4, lines 64-66.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to select the unit cell size and the SiO₂/Al₂O₃ ratio disclosed by the reference of Cooper et al.(5,601,798) for the USY catalyst used in the Beck et al. process because the reference of Cooper et al.(5,601,798) illustrates that such a unit cell size and a SiO₂/Al₂O₃ ratios are conventional in the art. Since the reference of Beck et al.(4,588,702) does not limit the parameters of the USY, it is considered to encompass conventional parameters which would accomplish the desired conversion. Applicants have not shown anything unexpected with respect to the claimed unit cell size or SiO₂/Al₂O₃ of the USY component.

Claim Rejections - 35 U.S.C. § 103

Claims 11, 12, 14 and 16-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beck et al.(4,588,702) in view of Kugler (4,944,864) as applied to claims 1-3, 5, 7, 8, 10 and 28-31 above in further view of Occelli (4,615,996).

-See teachings of Beck et al. (4,588,702) and Kugler (4,944,864) above.

Art Unit: 1764

A difference is noted between the reference of Beck et al.(4,588,702) and applicants' claimed invention. The reference of Beck et al.(4,588,702) is silent with respect to the catalyst particle size.

The reference of Occelli (4,615,996) is cited for the general teaching that it is conventional in the art to use catalysts with particle sizes of less that 75 microns in FCC processes. See column 1, lines 25-30 and lines 35-40.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize a catalyst particle size of less than 75 microns in the Beck et al. process because the reference of Occelli (4,615,996) illustrates that such catalyst particle sizes are conventional in the art for hydrocarbon cracking. Applicants have not shown anything unexpected with respect to the size of the catalyst particles.

In addition, the particle size is not considered to be a patentable distinction over the applied art because changes in size are not invention of a rule. <u>In re Rose</u>, 105 USPQ 237 (CCPA 1955).

Claim Rejections - 35 USC § 103

Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combined teachings of Beck et al. (4,588,702), Kugler (4,944,864) and Occelli (4,615,996) as applied to claim 11, 12, 14 and 16-19 above, and further in view of Cooper et al. (5,601,798).

Claim Rejections - 35 USC § 103

Claims 1-3, 5-8, 10-12, 14, 16-19 and 28-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Balko et al.(5,956,474) in view of Schorfheide (4,690,806) and Kugler (4,944,864).

Art Unit: 1764

The reference of Balko et al.(5,965,474) discloses a composition for use in catalytic cracking. See abstract, lines 1-2. The composition comprises a faujasite such as USY, ZSM-5 and/or zeolite beta. See column 4, lines 11-39. The feeds processed are conventional feeds such as gas oil or vacuum gas oil. See column 4, lines 1-10. Contaminating metals such as vanadium and organic compounds are present. See column 2, lines 23-34. The reference discloses a gas oil feed containing sulfur. See column 21, lines 3-4 and 20. The reference also teaches that conventional FCC catalysts have particle diameters ranging from about 20-150 microns. See column 2, lines 5-10. Balko et al.(5,965,474) further teaches that the catalyst can be ion exchanged with additional metals such as Zn. See column 12, lines 24-36.

The reference of Balko et al. (5,965,474) succeeds at disclosing a cracking process involving the use of a catalyst with components corresponding to those claimed by applicants. Several differences are noted between the reference of Balko et al. (5,965,174) and applicants' claimed inventions. The reference of Balko et al. (5,965,174) is silent about sulfur in the form of organosulfur compounds and the sulfur reduction of the feed. In addition, Balko et al. (5,965,174) does not disclose a vanadium catalyst component, catalyst regeneration or sulfur reduction.

The reference of Schorfheide (4,690,806) illustrates that gas oil is known to contain organosulfur compounds in the form of thiophenes and benzothiophenes. See column 2, lines 17-22.

The reference of Kugler (4,944,864) is cited to show that it is known in the art that vanadium contaminants in a hydrocarbon feed which remain on a catalyst during regeneration are oxidized and that the oxidized vanadium compounds become mobile and react with the

Art Unit: 1764

zeolite components of the catalyst. As a result, the regenerated catalyst contains vanadium. See column 4, lines 13-27.

The reference of Kugler succeeds in disclosing the concept that oxidative regeneration is conventional for FCC catalysts and that regenerated catalysts which are recycled in processes involving the treatment of vanadium containing feeds contain an oxidized vanadium component resulting from contamination during the regeneration process.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to regenerate the catalyst of Balko et al.(5,965,474) because Kugler (4,944,864) illustrates that it is conventional in the art to oxidatively regenerate FCC catalysts.

Since the reference of Balko et al.(5,965,474) discloses a vanadium containing feed, it would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize a vanadium containing catalyst because the reference of Kugler teaches that it is known in the art that regenerated catalysts recycled for further cracking contain vanadium components. Applicants have not shown anything unexpected with respect to the use of a catalyst containing a vanadium component. Furthermore, the modified teachings of Balko et al.(5,965,174) would naturally encompass sulfur reduction because the reference discloses the use of a catalyst with the same components claimed by applicants which would have the same sulfur reduction catalytic properties.

Since Balko et al.(5,965,174) involves the treatment of a gas oil, it would have been obvious to one of ordinary skill in the art at the time the invention was made to treat an organosulfur containing feed according to the cracking process of Balko et al.(5,965,174) because the reference of Schorfheide (4,690,806) illustrates that gas oils are known to contain

Art Unit: 1764

organosulfur compounds. Furthermore, the modified teachings of Balko et al.(5,965,174) would naturally encompass sulfur reduction because the reference discloses the use of a catalyst with the same components claimed by applicants which would have the same sulfur reduction catalytic properties.

Claim Rejections - 35 USC § 103

Claims 9 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Balko et al. (5,965,474) in view of Schorfheide (4,690,806) and Kugler (4,944,864) as applied to claims 1-3, 5-8, 10-12, 14, 16-19 and 28-31 above, and further in view of Cooper et al. (5,601,798).

A difference is noted between the modified teachings of Balko et al.(5,965,474) and applicants' claimed invention. The modified teachings of Balko et al.(5,965,474) are silent about the unit cell size and silica/alumina ratio of the USY component.

The reference of Cooper et al.(5,601,798) is cited to illustrate that USY typically has a unit cell ranging from 24.5 angstroms (2.45 nm) to 24.6 angstroms (2.46 nm) and a silica/alumina ratio ranging from 5-12. See column 4, lines 64-66.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to select the unit cell size and the SiO₂/Al₂O₃ ratio disclosed by the reference of Cooper et al.(5,601,798) for the USY catalyst used in the Balko et al.(5,965,474) process because the reference of Cooper et al.(5,601,798) illustrates that such unit cell sizes and SiO₂/Al₂O₃ ratios are conventional in the art. Since the reference of Balko et al.(5,965,474) does not limit the parameters of the USY, it is considered to encompass conventional parameters which would

Art Unit: 1764

accomplish the desired conversion. Applicants have not shown anything unexpected with respect to the claimed unit cell size or SiO₂/Al₂O₃ of the USY component.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1, 2, 4, 5, and 10-14 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-3, 8-10 and 12 of copending Application No. 09/221,539 in view of Beck et al.(4,588,702).

Although the conflicting claims are not identical, they are not patentably distinct from each other because both sets of claims are drawn to a process for reducing the sulfur content of a catalytically cracked petroleum feed fraction in the presence of a cracking catalyst and a product sulfur reduction catalyst.

A difference is noted between the present claims and the claims of Application No. 09/221,539. Claim 1 of Application No.09/221,539 includes an additional rare earth component.

Art Unit: 1764

The reference of Beck et al.(4,588,702) teaches that rare earth components are known promoters in catalytic cracking processes. See column 9, lines 30-35 and column 10, lines 49-55.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to include an additional rare earth component in the present claims because Beck et al.(4,588,702) illustrates that rare earths are known promoters in catalytic cracking.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Double Patenting

Claims 1-5 and 10-12 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-4 and 8-10 copending Application No. 09/221,540 in view of Beck et al.(4,588,702).

Although the conflicting claims are not identical, they are not patentably distinct from each other because both sets of claims are drawn to a process for reducing the sulfur content of a catalytically cracked petroleum fraction.

A difference is noted between the present claims and the claims of 09/221,540. The present claims do not include a cerium component as defined in the claims of 09/221,540.

The reference of Beck et al. (4,588,702) teaches that rare earth components (cerium) are known promoters in catalytic cracking processes. See column 9, lines 30-35 and column 10, lines 49-55.

Art Unit: 1764

It would have been obvious to one of ordinary skill in the art at the time the invention was made to include an additional cerium component in the present claims because Beck et al.(4,588,702) illustrates that rare earths are known promoters in catalytic cracking.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Response to Arguments

Applicant's arguments with respect to the pending claims have been considered but are most in view of the new ground(s) of rejection.

In addition, it appears that applicants' the components in applicants' catalyst read on an oxidatively regenerated FCC catalyst as described in the rejections above.

Prior Art of Record

The reference of Guthrie et al.(5,260,240) is cited to show that metal contaminants, such as vanadium, are known to block "internal" channels of zeolites (molecular sieve). See abstract, lines 1-2 and column 5, lines 37-44.

Beck et al.(4,432,890) is cited to illustrate that it is known in the art that vanadium is converted to vanadium oxide during regeneration and enters the pores of the zeolite (molecular sieve). See column 7, lines 20-30.

Art Unit: 1764

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nadine Preisch whose telephone number is 703-305-2667. The examiner can normally be reached on Monday through Thursday from 7:30 am to 6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marian Knode can be reached on 703-308-4311. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-3599 for regular communications and 703-305-5408 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 308-0661.

N.P. November 2, 2001

> NADINE PREISCH ART UNIT 1764

MM